GSK3 beta Monoclonal Antibody

Catalog Number: E-AB-22221



Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Reactivity Human, Mouse, Rat

Immunogen Synthetic Peptide of GSK3β

Host Mouse Isotype IgG

Clone: 4D2


Purification Protein A purification

Formulation PBS with 0.02% sodium azide, 0.5% BSA and 50% glycerol pH 7.4.

Applications Recommended Dilution


WB 1:1000-2000 IHC 1:100-200

Data




Western Blot analysis of 1) Hela, 2) 3T3, 3) Rat brain using GSK3 beta Monoclonal Antibody at dilution of 1:1000.

Observed Mw:46kDa



Immunohistochemistry of paraffin-embedded Human breast carcinoma tissue using GSK3 beta Monoclonal Antibody at dilution of 1:200.



Immunohistochemistry of paraffin-embedded Human stomach carcinoma tissue using GSK3 beta Monoclonal Antibody at dilution of 1:200.

Preparation & Storage

Storage Store at -20°C. Avoid freeze / thaw cycles.

Background

Participates in the Wnt signaling pathway. Implicated in the hormonal control of several regulatory proteins including glycogen synthase, MYB and the transcription factor JUN. Phosphorylates JUN at sites proximal to its DNA-binding domain, thereby reducing its affinity for DNA. Phosphorylates MUC1 in breast cancer cells, and decreases the interaction

For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Tel: 400-999-2100 Email: techsupport@elabscience.cn Web: www.elabscience.cn

GSK3 beta Monoclonal Antibody

Catalog Number: E-AB-22221



of MUC1 with CTNNB1/beta-catenin. Phosphorylates CTNNB1/beta-catenin. Phosphorylates SNAI1. Plays an important role in ERBB2-dependent stabilization of microtubules at the cell cortex. Prevents the phosphorylation of APC and CLASP2, allowing its association with the cell membrane. In turn, membrane-bound APC allows the localization of MACF1 to the cell membrane, which is required for microtubule capture and stabilization. Phosphorylates MACF1 and this phosphorylation inhibits the binding of MACF1 to microtubules which is critical for its role in bulge stem cell migration and skin wound repair.

Tel: 400-999-2100 Email: techsupport@elabscience.cn Web: www.elabscience.cn